SECUNORM 300

THE PERFECT FORM FOR SAFE CUTTING.









Original size



Ergonomic handle

The excellent ergonomics can be felt all over the SECUNORM 300, for example in the newly shaped handle which fits comfortably into the hand. Or in details such as the nicely rounded knife end or the non-slip soft grip on the slider.



Pleasantly light

Like its predecessor, the SECUNORM 300 also impresses with its lightness. For just 52 grammes you get a comfortable and versatile professional cutting tool.



Abrasion resistant

The SECUNORM 300 is made of a glass fibre reinforced plastic, making it particularly abrasion resistant. Your safety knife therefore stays in top form even when in heavy contact with the cutting material.



Increased cutting depth

The increased cutting depth further expands the range of applications. Even frequent cutting is easy – another benefit of the new design with its outstanding ergonomics.




Optimal blade changing


Just pressing the blade change button allows you to remove the plastic insert with the blade. The click-in blade cover and integrated magnet make blade changing even easier and safer.


Surprisingly light. Convincingly good. With trapezoid blade.

The SECUNORM 300 is the SECUNORM 500's "little brother" and a further development of the SECUNORM PROFI LIGHT. It retains a pleasant lightness as well as the proven automatic blade retraction. You'll discover much more in the optimised SECUNORM 300 all-rounder. For example, the especially ergonomic design, an increased cutting depth, the new soft grip, and extremely user-friendly blade changing.


Application







Safety technology



Automatic blade retraction – a high degree of safety

The automatic blade retraction of the SECUNORM 300 guarantees a high degree of safety from cut injuries. As soon as you have started to cut, take your thumb off the slider. Then the blade will retract into the handle immediately after leaving the material being cut.

PRODUCT FEATURES

Technical features



High safety



Safer blade change (with magnet)



Abrasion resistant



Very ergonomic



2-cutting edge blade



Cutting depth



Ceramic blade insertable



Soft grip



For right and left handers



Lanyard hole

Main cutting materials



Cardboard: up to 3-ply



Wrapping, stretch and shrink foil



Plastic strapping band



Tape



Bagged goods



Layers of foil or paper

Installed blade



NO. 5232 0.63 mm, deep-edged

Optional blade



NO. 5233 0.63 mm, 1-sided ground-

edge

NO. 610 0.63 mm, stainless **NO. 852** 0.63 mm, stainless,

TiN-coated



NO. 65232 0.63 mm, rounded blade

tips, deep-edged

NO. 65232C 0.65 mm, ceramic, rounded blade tips, deep-edged



NO. 56 0.63 mm



NO. 5634 0.63 mm, rounded blade

tips

Certificates and awards



SECUNORM 300

- > For high cutting frequencies
- Light ergonomic handle for left and right handers
- > Made of abrasion resistant plastic
- > Automatic blade retraction
- GS-certified for approved safety

PRODUCT DETAILS

Order No.	NO. 30000410.02	
Packaging unit	1 in single unit box (10 pieces in multipack)	
Knife size (L x W x H)	143 x 16 x 36 mm	
Main material	Glass fibre reinforced plastic	
Weight	52.0 g	
Cutting depth	19 mm	
Spare blade Packaging unit Size (L x W x Thickness)	NO. 5232.70 (10 in dispenser) 53 x 19 x 0.63 mm	
Certified	GS certificate NO. 178531- 7034-55094-2019/1	
Accessories		
BELT HOLSTER S WITH CLIP		NO. 9920
HOLSTER SMALL	Ī	NO. 9842
		NO 0010
USED BLADE CONTAINER		NO. 9810
USED BLADE CONTAINER WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9810 NO. 9845

CONTACT AND SERVICE

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



From the first cut to changing the blade, our video will show you the best way to use this knife.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the technical data sheet.



Still have questions? You can reach our service department on +49 212 73870-0