

# DSPA 2-4-1 AEROSOL GENERATOR



## Properties

- Exceptional effective non-toxic fire extinguishing agent
- Uniquely easy to install and Maintain
- Tested as per EN 15276-1, NEN-ISO 15779, UL 2775 and BRL K23001
- Approved by EPA for SNAP listing
- Ecologically safe and environmentally friendly (O.D.P.=0, G.W.P.=0)
- Very cost efficient

## Description

DSPA aerosol generator 2-4-1 can be used as a part of a highly effective fire extinguishing system. A DSPA generator is non-pressurized and is installed inside a room or compartment that requires protection. After activation, an aerosol cloud is generated, which expands volumetrically, flooding the space and extinguishing the fire. The DSPA generators are mainly designed to use in normally unoccupied and unoccupied areas and are effective on class A, B, C fires.

## Application

The DSPA generators 2-4-1-1 (Built-in) and 2-4-1-4 (Built-up) are recommended for the protection of semi large compartments such as storage rooms, archives, technical rooms and server rooms.

## Specification

Model	2-4-1
Dimensions	167 x 175 6.57"x 6.89"
Part number	100001 (flange), 100002 (bracket)
Total weight	4.6 kg 10.141 lbs
Compound weight	1.6 kg. / 3.527 lbs
Volume coverage	15,85 m3 559.74 ft3
Discharge time	48-53 sec.
Activation, current	Built-in starter, 1.3A
Operation conditions	-40°C to 75°C/ -40°F to 167°F Up to 95% RH
Colour	Standard RAL 3000, other colours upon request