

DSPA 11-5, 11-6 AEROSOL GENERATOR



Properties

- Exceptional effective non-toxic fire extinguishing agent
- Uniquely easy to install and Maintain
- Tested as per EN 15276-1, NEN-ISO 15779, UL 2775 and BRL K23001
- Approved by EPA for SNAP listing
- Ecologically safe and environmentally friendly (O.D.P.=0, G.W.P.=0)
- Very cost efficient

Description

DSPA aerosol generators 11-5 and 11-6 can be used as a part of a highly effective fire extinguishing system. A DSPA generator is non-pressurized and is installed inside a room or compartment that requires protection. After activation, an aerosol cloud is generated, which expands volumetrically, flooding the space and extinguishing the fire. The DSPA generators are mainly designed to use in normally unoccupied and unoccupied areas and are effective on class A, B, C fires.

Application

The DSPA generators 11-5 and 11-6 are recommended for the protection of semi large compartments such as storage rooms, archives, technical rooms and server rooms.

Specifications

Model	11-5	11-6
Dimensions	Ø217 x 104 mm Ø8.5" x 4.09"	Ø217 x 104 mm 8.54" x 4.09"
Part number	100015	100016
Total weight	4 kg 8.8 lbs	4.5 kg 9.9 lbs
Compound weight	1.4 kg	2.3 kg
Volume coverage	13.63 m ³ 481 ft ³	22.40 m ³ 791 ft ³
Discharge time	50 sec	40 sec
Activation, current	Screw-in starter, 1.3A	
Operation conditions	-40°C to 75°C/ -40°F to 167°F Up to 95% RH	
Colour	Standard RAL 3000, other colours upon request	