



Dräger PSS 4000

Self Contained Breathing Apparatus

The Dräger PSS 4000 is one of the lightest professional self-contained breathing apparatus for firefighters. Combining comfort with exceptional pneumatic performance, this SCBA is designed for applications where simplicity and ease of use are crucial. Lightweight yet robust, and easy to don, the PSS 4000 provides outstanding breathing protection.

Dräger PSS 4000

Closed, single piece high-tech harness

designed for comfort, preventing excessive water and chemical absorption, reducing cleaning and drying time

High performance webbing

highest quality according to EN 137:2006 Type 2

Integrated hose channels

incorporated within the backplate to protect the hose and minimize the risk of snagging

Dräger Bodyguard 1500 System

wireless transmission of pressure data between Tx gauge, Bodyguard 1500 PASS device and FPS 7000 HUD

Stainless steel adjusters

secure controlled, smooth webbing adjustment and easy release

Pull forward waist adjustment

ease of fitting for professional firefighting



D-38071-2015

Benefits

Light, robust and simple to use

The Dräger PSS 4000 is one of the lightest professional self-contained breathing apparatus on the market and contains the same advanced technology and design philosophy as seen in our leading range of standard and extended duration professional breathing apparatus. Supported by a carrying harness with a quick release fastener and simple pull forward mechanism you can quickly and easily adjust the carrying harness.

Enhanced carrying system

The extremely durable carrying system features our ultra-lightweight, high strength composite carrying space frame, which provides outstanding thermal, impact and chemical resistance properties. The professional carrying system of the harness follows the natural contours of the body, improving stability and reducing back strain, stress and fatigue. The system offers optimal comfort for the wearer's shoulders and waist with an even load distribution, which is comfortably and securely in line with the body's centre of gravity. Aside from maximum comfort, the Dräger PSS 4000 also uses the most rugged and durable materials available in order to minimize the impact of even the most hostile of environments.

Maximum performance harness material

The Dräger PSS 4000 utilizes state-of-the-art harness materials, which have been designed to withstand the high wear and tear fire fighters face every day, while providing an enhanced level of comfort. By incorporating hardwearing stainless steel buckles and long-life blend webbing made from aramid fibre, it is ideally suited for extended wear and frequent use.

Easy to maintain and service

Aside from being quick and easy to service, the Dräger PSS 4000 comes with various, innovative design features that help reduce downtime and unnecessary maintenance costs. This can be seen in all major components, which are simple and quick to remove and re-assemble. The harness is attached to the carrying frame by an innovative single-piece retention method. For added convenience, the first stage pressure reducer is integrated into the carrying frame. The closed, single piece harness and waist pad design prevents excessive water absorption, which reduces cleaning and drying time, whilst optimising energy efficiencies.

Integrated hoses

The medium pressure air supply and gauge hoses are completely integrated into the carrying-frame in order to reduce the risk of snagging and potential entanglement. This substantially improves security and safety while entering and working in confined spaces. An additional benefit is the ability to re-route the hoses from one side to the other in order to suit customer preferences for gauge access. This design feature also facilitates the easy replacement of each hose.

Benefits

Wireless option

Enhance your safety in the field with the Dräger Bodyguard 1500, an advanced personal alert safety system (PASS). This breathing protection control and non-motion-detector generates visual and acoustic alert signals if you are motionless, running out of air or exposed to extreme heat. Furthermore the system provides a wireless data transmission between the PASS and the monitoring devices.

The backlit Tx Gauge wirelessly transmits its pressure data to the Bodyguard 1500 and also to the Dräger FPS 7000 Head-Up-Display (HUD) if being used. This feature provides automatic visual notification from the Tx Gauge and acoustic notification from the PASS when the air supply drops below user-defined limits.

Additional options

The flexible, user-friendly high performance system combines both new and proven innovative technology. The Dräger PSS 4000 guarantees a lifetime of dependable service simultaneously minimizing the costs of ownership, while offering a broad choice of options for every eventuality:

- Choice of lung demand valves
- Dräger FPS 7000 full facemask configuration options (as well as Panorama Nova)
- Electronic voice communications
- Steel or carbon composite cylinders
- Secondary supply hose connections for rescue and decontamination
- Dräger Bodyguard 1500 for a wireless transmission of pressure data
- Dräger FPS 7000 Head-up-Display (HUD) and Tx Gauge with entry level electronics
- Rapid charge option
- Twin cylinder configuration

Proven air supply technology

Versatility is one of the main principles of the Dräger PSS product series. This is why the Dräger PSS 4000 enables you to benefit from the technological progress of the other models. Incorporating the same advanced pneumatic system used in the class-leading Dräger PSS 7000 the PSS 4000 offers you professional equipment for pioneering fire departments. In addition the twin cylinder option enables you to increase the air supply and benefit from a longer duration.

System Components

D-57238-2012



Dräger Bodyguard 1500

Dräger Bodyguard 1500 is an automatic wireless PASS system which increases wearer safety in potentially hazardous situations. The system draws attention to colleagues in distress by generating distinctive visual and acoustic alert signals and features wireless data transmission from the pressure gauge to the PASS device.

D-5014-2024



Dräger PSS Lung Demand Valve (LDV)

Suitable for the most extreme applications whenever breathing apparatus has to be worn: with its compact and robust design, and excellent pneumatic performance, the Dräger PSS Lung Demand Valve (LDV) will always deliver the air that you need.

ST-603-2006



Pneumatic Gauge

The pressure gauge features a high visibility luminescent display. The injector-free warning whistle located in the gauge cover is well protected from dirt and very robust. The shoulder strap secures and manages the combination high-pressure/medium-pressure hose for the pressure gauge and the warning whistle.

D-28795-2015



Dräger FPS-COM 5000

Because there is no time for misunderstandings in an emergency: The Dräger FPS-COM 5000 communication unit has been specifically developed for the full face mask Dräger FPS 7000 and ensures clear communication through a voice amplifier unit or radio device – even under extreme conditions.

System Components

D-4980-2024.tif



Dräger FPS 7000

The Dräger FPS 7000 full-face respiratory protection mask sets new standards in safety and wearing comfort. Its proven design offers a wide, optimised field of vision and comfortable, reliable sealing in various sizes. The FPS 7000 RA is compatible with all Dräger X-plore 8000 powered air-purifying respirators.

Accessories

ST-6201-2007



Dräger PSS Rescue Hood

Fire fighters face some of the harshest conditions this world has to offer, and are expected to save others from these environments; the Dräger PSS Rescue Hood is designed to help the professional save lives.

D-42499-2015



Dräger PARAT 5550

The Dräger PARAT 5550 is a fire escape hood packaged in a flame-retardant holster. It was specifically developed for fire rescue teams for use in victim rescue. The main advantage: The PARAT 5550 is system-approved together with Dräger breathing apparatuses according to EN 137:2006, Type 2.

ST-9907-2006



Dräger FPS 7000 Head-Up-Display (HUD)

One of the many benefits of the FPS 7000 full face mask is the option of fitting a head up display. Always within the field of view the head up display allows easy monitoring of the cylinder contents without any manual action by the wearer.

Services

D-2331-2016



Product service

Our product service department supports you with a range of service packages – in our shops or on site at your facility. Care, servicing and maintenance are key factors when it comes to safety. Diligent maintenance and care is also absolutely necessary from an economics perspective. Preventive checks, service procedures and original replacement parts make your investment last longer.

D-2335-2016



Training

The Dräger Academy has been sharing its sound, practical knowledge for over 40 years. With over 110 authorised trainers and more than 600 available topics, we conduct more than 2,400 training sessions per year. We provide your staff with practical knowledge and ensure that what they learn can be applied effectively, both on a day-to-day basis and more importantly, in critical situations. We would be glad to develop a custom-made training programme just for you.

Related Products

D-35386-2021



Dräger PSS AirBoss

The Dräger PSS AirBoss offers best in class ergonomics and is one of the lightest weight breathing apparatus for firefighting. Lessons learned from firefighters around the world as well as latest innovations in technology have led us to design an even safer and cleaner SCBA system that enables you to breathe more easily and for longer.

D-7469-2010



Dräger PSS 3000

The Dräger PSS 3000 is a high performing breathing apparatus for firefighters. Combining comfort with exceptional pneumatic performance, it is designed for applications where simplicity and ease of use are key essentials. Lightweight yet robust, and easy to don, this advanced breathing apparatus provides dependable breathing protection.

Technical Data

	Dräger PSS 4000 Pneumatic Gauge	Dräger PSS 4000 Tx gauge	Dräger PSS 4000 Tx gauge / Dräger Bodyguard 1500
Weight (backplate & harness)	3.00 kg	3.15 kg	3.38 kg
Dimensions (H x W x D)	590 x 290 x 160 mm	590 x 290 x 160 mm	590 x 290 x 160 mm
Input pressure	0 to 300 bar	0 to 300 bar	0 to 300 bar
Nominal 1st stage output pressure	7.5 bar	7.5 bar	7.5 bar
1st stage output flow	> 1,000 l/min	> 1,000 l/min	> 1,000 l/min
LDV output flow	> 400 l/min	> 400 l/min	> 400 l/min
Whistle activation pressure	50 to 60 bar	50 to 60 bar	50 to 60 bar
Whistle sound level	> 90 dBA	> 90 dBA	> 90 dBA
ADSU main alarm	N/A	N/A	102–112 Laeq, 30s dBA
ADSU pre-alarm	N/A	N/A	86–112 Laeq, 30s dBA

Approvals

Breathing Apparatus	EN 137:2006 Type 2
Intrinsic Safety (only applicable to Dräger Bodyguard 1500)	ATEX 34/2014/EU (I M1/II 1GD Ex ia I/IIC T4) (Ta = -30 °C to +60 °C)
Electromagnetic Compatibility	EN 61000-6-2
Radiation Emissions	EN 61000-6-3

Ordering Information

Dräger PSS 4000 Compressed Air Breathing Apparatus and Full Face Mask

Dräger PSS 4000 SCS with Pneumatic Gauge	Single Cylinder Strap	33 63 988
Dräger PSS 4000 TCS with Pneumatic Gauge	Universal Cylinder Strap	33 66 863
Dräger PSS 4000 SCS ChargAir with Pneumatic Gauge	Single Cylinder Strap	33 64 020
Dräger PSS 4000 TCS ChargAir with Pneumatic Gauge	Universal Cylinder Strap	33 66 870
Dräger PSS 4000 SCS with TX Gauge	Single Cylinder Strap	33 63 990
Dräger PSS 4000 TCS with TX Gauge	Universal Cylinder Strap	33 66 865
Dräger PSS 4000 SCS with TX Gauge & Dräger Bodyguard 1500	Single Cylinder Strap	33 64 018
Dräger PSS 4000 TCS with TX Gauge & Dräger Bodyguard 1500	Universal Cylinder Strap	33 66 867
Dräger PSS 4000 SCS ChargAir with TX Gauge	Single Cylinder Strap	33 64 022
Dräger PSS 4000 TCS ChargAir with TX Gauge	Universal Cylinder Strap	33 66 872
Dräger PSS 4000 SCS ChargAir with TX Gauge & Dräger Bodyguard 1500	Single Cylinder Strap	33 64 134
Dräger PSS 4000 TCS ChargAir with TX Gauge & Dräger Bodyguard 1500	Universal Cylinder Strap	33 66 874
Dräger FPS 7000 Full Face Mask		on request

Upgrade kits

Dräger PSS 4000 SCS Harness		33 641 73
Dräger PSS 4000 SCS to TCS		33 669 29

Plus lung demand valve (LDV)

Normal Demand (N)		33 50 501
Plug in (A)		33 38 700
M45 (AE)		33 38 706
ESA		33 51 302
Normal Demand (N) 1.75 m (rescue only)		33 50 606

Ordering Information

Lung demand valve holder

N/ESA	33 57 526
AE	33 57 528
A	33 57 527
Dräger Cylinders	on request

Accessories

Second medium pressure combined connector	33 58 868
Secondary supply hose female	33 58 867
Secondary supply hose male	33 58 869
Automatic switch over valve (ASV)	on request
Dräger PSS Rescue Hood	33 54 982
Dräger Bodyguard 1000	on request
Dräger PARAT 5550	on request
Dräger SCBA Carrying Case	on request

Not all products, features, or services are for sale in all countries. Trademarks mentioned herein are the property of its respective owner. Trademarks may be owned by Drägerwerk AG & Co. KGaA (Dräger) or its affiliates in certain countries and not necessarily in the country in which this material is released. Visit www.draeger.com/trademarks for the current status of Dräger's trademarks.

Corporate Headquarters
Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
■ www.draeger.com

Region Europe
Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
☎ +49 451 882 0
☎ +49 451 882 2080
✉ info@draeger.com

Region Middle East, Africa
Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
☎ +971 4 4294 600
☎ +971 4 4294 699
✉ contactuae@draeger.com

Region Asia Pacific
Dräger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
☎ +65 6872 9288
☎ +65 6259 0398

Region Central and South America
Dräger Indústria e Comércio Ltda.
Al. Pucurui - 51 - Tamboré
06460-100 - Barueri - São Paulo
☎ +55 (11) 4689-4900
✉ relacionamento@draeger.com



Locate your Regional Sales
Representative at:
www.draeger.com/contact