

Nitrogen Safety Data Sheet 50003 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/10/2014 Revision date: 06/03/2016 Supersedes: 01/10/2014 Version: 1.1

SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Substance name	: Nitrogen	
Chemical name	: Nitrogen	
CAS No	: 7727-37-9	
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against	
Use of the substance/mixture	: Test gas/Calibration gas	
1.3. Details of the supplier of the safety of	lata sheet	
Calgaz, division of Airgas USA LLC 821 Chesapeake Drive Cambridge, 21613 - USA T 1-410-228-6400 - F 1-410-228-4251 info@Calgaz.com		
1.4. Emergency telephone number		
Emergency number	: CHEMTREC: 1-800-424-9300 Internationally: 1-703-527-3887	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or m	ixture	
GHS-US classification		
Gases under pressure H280 Compressed gas		
Full text of H statements : see section 16		
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)	GHS04	
Signal word (GHS-US)	: Warning	
Hazard statements (GHS-US)	: H280 - Contains gas under pressure; may explode if heated OSHA-H01 - May displace oxygen and cause rapid suffocation	
Precautionary statements (GHS-US)	 P202 - Do not handle until all safety precautions have been read and understood P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective gloves, protective clothing P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P308+P313 - If exposed or concerned: Get medical advice/attention P403 - Store in a well-ventilated place P501 - Dispose of contents/container in accordance with local/regional/national/international regulations CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C/125 °F CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly 	
2.3. Other hazards		

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Informa	ation on in	gredients		
3.1. Substance				
Name	: Nitrog	gen		
CAS No	: 7727	-37-9		
Name		Product identifier	%	GHS-US classification
Nitrogen		(CAS No) 7727-37-9	100	Compressed gas, H280
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	s			
First-aid measures after inhalation	: Remo	ove victim to fresh air and keep II, seek medical advice.	at rest in a position o	omfortable for breathing. If you feel
First-aid measures after skin contact	: Adve	rse effects not expected from th	nis product.	
First-aid measures after eye contact	: Adve	rse effects not expected from th	nis product.	
First-aid measures after ingestion		tion is not considered a potentia		
4.2. Most important symptoms and	effects. both	acute and delaved		
Symptoms/injuries after inhalation		displace oxygen and cause rapi	id suffocation.	
Symptoms/injuries after skin contact	-	rse effects not expected from th		
Symptoms/injuries after eye contact		rse effects not expected from th	•	
Symptoms/injuries after ingestion		tion is not considered a potentia		
Symptoms/injuries upon intravenous administration	-	nown.	• •	
Chronic symptoms	: Adve	rse effects not expected from th	nis product.	
4.3. Indication of any immediate me	dical attentio	n and special treatment need	led	
If you feel unwell, seek medical advice. If bro				
SECTION 5: Firefighting measure	-			
5.1. Extinguishing media	7 5			
Suitable extinguishing media	: Lleo (extinguishing media appropriate	for surrounding fire	
Unsuitable extinguishing media		ot use water jet to extinguish.	ior surrounding life.	
		, ,		
5.2. Special hazards arising from the				
Fire hazard	•	product is not flammable.	uild an an an art of the	na alasad santaing a sana dia 10
Explosion hazard	and in	ncreasing risk of burns and inju		ng closed containers, spreading fire
Reactivity	: None	known.		
5.3. Advice for firefighters				
Firefighting instructions	or fog	for cooling exposed containers	s. Exercise caution w	
Protection during firefighting		rs. Do not enter fire area withou		ntained Breathing Apparatus) for fire quipment, including respiratory
Specific methods	Conti		position until contair	. If possible, stop flow of product. ler stays cool. Move containers away
SECTION 6: Accidental release m	neasures			
6.1. Personal precautions, protective		and emergency procedures		
	: Ensu	re adequate ventilation.		
General measures	: Ensu	re adequate ventilation.		
General measures 6.1.1. For non-emergency personnel			nt with the site emera	ency plan.
General measures	: Wear : Evac	protective equipment consister	Close doors and wind	ows of adjacent premises. Keep

8.1.2. For emergency responders Protective equipment : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection. Emergency procedures : Evacuate and limit access. Ventilate area. 6.2. Environmental proceutions : Try to stop release if without risk. : 6.3. Methods and material for containment and cleaning up : For containment : Try to stop release if without risk. 6.4. Reference to other sections : See also Sections 8 and 13. : SECTION 7: Handling and storage : 7.1. Procautions for safe handling : Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properi instuced persons should handle gases under pressure. Conservery ensure elide divice(s) in gas installations. Ensure the complete gas system was (or is regularity) checked for lease bioly contermocy cordeface labels provided by the supplier for the identific		······································
fighters. Equip cleanup crew with proper protection. Emergency procedures : Evacuate and limit access. Ventilate area. 6.2. Environmental proceutions Try to stop release if without risk. 5.3. Methods and material for containment and cleaning up For containment For containment : Try to stop release if without risk. Methods for cleaning up : Dispose of contents/container in accordance with local/regional/national/international regulations. 6.4. Reference to other sections See also Sections 8 and 13. SECTION 7: Handling and storage 7.1. Procautions for safe handling Additional hazards when processed : Pressurized container. Do not pierce or burn, even after use. Use only with equipment rated for coylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not tandle until all safety precautions have been read and understood. Use only outdoors or in a well-wentilated area. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure elled for key leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder freesure and temperature. Consider pressure elled for key before use. Do not remove or deface labels provided by the supplier for the identification elles in the substance must be handled in accordance with good industrial hygiene and safety procedures.	6.1.2. For emergency responders	
6.2 Environmental precautions Try to stop release if without risk. 6.3. Methods and material for containment and cleaning up For containment : Try to stop release if without risk. Methods for cleaning up : Dispose of contents/container in accordance with local/regional/national/international regulations. 6.4. Reference to other sections See also Sections 8 and 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag: roll, slide or drop. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experimened and properly instructed persons should handle gases under pressure. Consider pressure end elipoter pressure end elipoter using a sustallations. Ensure the complete gas system was (or is regularity) checkef for leaks before use. D	Protective equipment	
Try to stop release if without risk. 6.3. Methods and material for containment and cleaning up For containment : Try to stop release if without risk. Methods for cleaning up : Dispose of contents/container in accordance with local/regional/national/international regulations. 6.4. Reference to other sections See also Sections 8 and 13. CECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder pressure. Consider pressure end ip toperly instructed persons should handle gases under pressure. Consider pressure end ied previde privinstructed persons should handle gases under pressure. Consider pressure end ied previde (vinders forme us. Use only reporely specified equipment which is suitable for the identification of the cylinder contact your gas supplier for the identification of the cylinder contact. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experi	Emergency procedures	: Evacuate and limit access. Ventilate area.
6.3. Methods and material for containment and cleaning up For containment : Try to stop release if without risk. Methods for cleaning up : Dispose of contents/container in accordance with local/regional/national/international regulations. 6.4. Reference to other sections See also Sections 8 and 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a weil-ventilated area. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder pressure	6.2. Environmental precautions	
For containment : Try to stop release if without risk. Methods for cleaning up : Dispose of contents/container in accordance with local/regional/national/international regulations. 6.4. Reference to other sections See also Sections 8 and 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling . Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety precedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identifications. Ensure the complete gas system was (or is regularly) checked for leak	Try to stop release if without risk.	
Methods for cleaning up Dispose of contents/container in accordance with local/regional/national/international regulations. 6.4. Reference to other sections See also Sections 8 and 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety precedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identifications. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not encove or deface labels provided by the supply pressure and temperature. Contact your gas supplier if in doub	6.3. Methods and material for containment	nt and cleaning up
6.4. Reference to other sections See also Sections 8 and 13. SECTION 7: Handling and storage 7.1. Procautions for safe handling Additional hazards when processed ? Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling ? Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Safe handling of the gas receptacle ? Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe use of the product ? The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Hygiene measures : Do not eat, drink or smoke when using this product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures Technical measures : Comply with applicable regulations. Storage conditio	For containment	: Try to stop release if without risk.
See also Sections 8 and 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-wentilated area. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Hygiene measures : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area. Incompatible products : None known.	Methods for cleaning up	
SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; d	6.4. Reference to other sections	
7.1. Precautions for safe handling Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety precedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Hygiene measures : Do not eat, drink or smoke when using this product, its supply pressure and temperature. Contact your gas supplier if in doubt. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area. <t< td=""><td>See also Sections 8 and 13.</td><td></td></t<>	See also Sections 8 and 13.	
Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Precautions for safe handling : Do not handle untial afsety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Hygiene measures : Do not eat, drink or smoke when using this product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area. Incompatible products : None known.	SECTION 7: Handling and storage	
cylinder pressure. Close valve after each use and when empty.Precautions for safe handling: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.Safe handling of the gas receptacle: Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop.Safe use of the product: The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regulary) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.Hygiene measures: Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area.Incompatible products: None known.	7.1. Precautions for safe handling	
in a well-ventilated area. in a well-ventilated area. Safe handling of the gas receptacle : Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Protect cylinders from physical damage; do not drag, roll, slide or drop. Safe use of the product : The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Hygiene measures : Do not eat, drink or smoke when using this product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area. Incompatible products : None known. Incompatible materials : None known.	Additional hazards when processed	
contents. Protect cylinders from physical damage; do not drag, roll, slide or drop.Safe use of the product: The substance must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.Hygiene measures: Do not eat, drink or smoke when using this product. 7.2. Conditions for safe storage, including any incompatibilitiesTechnical measures: Comply with applicable regulations.Storage conditions: Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area.Incompatible products: None known.Incompatible materials: None known.	Precautions for safe handling	
Procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.Hygiene measures: Do not eat, drink or smoke when using this product.Technical measures: Comply with applicable regulations.Storage conditions: Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area.Incompatible products: None known.Incompatible materials: None known.	Safe handling of the gas receptacle	
7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area. Incompatible products : None known. Incompatible materials : None known.	Safe use of the product	procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularly) checked for leaks before use. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature.
Technical measures : Comply with applicable regulations. Storage conditions : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area. Incompatible products : None known. Incompatible materials : None known.	Hygiene measures	: Do not eat, drink or smoke when using this product.
Storage conditions : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area. Incompatible products : None known. Incompatible materials : None known.	7.2. Conditions for safe storage, includin	g any incompatibilities
use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well ventilated area. Incompatible products : None known. Incompatible materials : None known.	Technical measures	: Comply with applicable regulations.
Incompatible materials : None known.	Storage conditions	use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well
·	Incompatible products	: None known.
Storage area : Store away from heat. Store in a well-ventilated place.	Incompatible materials	: None known.
	Storage area	: Store away from heat. Store in a well-ventilated place.

SECT	SECTION 8: Exposure controls/personal protection				
8.1.	Control parameters				
Nitrog	gen (7727-37-9)				
Not ap	pplicable				

8.2. Exposure controls	
Appropriate engineering controls	Ensure exposure is below occupational exposure limits (where available). Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
Hand protection	: Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.g. lab coats, coveralls or flame resistant clothing.
Respiratory protection	: None necessary during normal and routine operations. See Sections 5 & 6.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	 Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical			
9.1. Information on basic physical and			
Physical state	: Gas		
Appearance	: Clear, colorless gas.		
Color	: Colorless		
Odor	: Odorless		
Odor threshold	: No data available		
pH	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: Not applicable (non-flammable gas)		
Relative evaporation rate (butyl acetate=1)	: No data available		
Relative evaporation rate (ether=1)	: Not applicable for gas-mixtures.		
Flammability (solid, gas)	: See Section 2.1 and 2.2		
Explosion limits	: Not applicable (non-flammable gas)		
Explosive properties	: Not applicable (non-flammable gas).		
Oxidizing properties	: None.		
Vapor pressure	: 760		
Relative density	: No data available		
Relative vapor density at 20 °C	: 0.967		
Specific gravity / density	: 1.2506 g/l		
Molecular mass	: 14.0000		
Relative gas density	: Similar to air		
Solubility	: Water: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: 0.01787 cP		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
None known.			
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
None known.			
10.4. Conditions to avoid			
None under recommended storage and handling conditions (see section 7).			
10.5. Incompatible materials			
None known.			
10.6. Hazardous decomposition products			
Under normal conditions of storage and use, hazardous decomposition products should not be produced.			
SECTION 11: Toxicological information			
11.1. Information on toxicological effect	IS		
Likely routes of exposure	: Inhalation		

Acute toxicity	: Not classified
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	820000 ppm/4h
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	820000 ppm/4h
ATE US (gases)	820000.000 ppmV/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
Nitrogen (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
12.4. Mobility in soil	
Nitrogen (7727-37-9)	
Ecology - soil	No ecological damage caused by this product.
12.5. Other adverse effects	
Effect on ozone layer	: No known effects from this product
Effect on the global warming	: No known ecological damage caused by this product.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.
Waste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.

Nitrogen

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department	of Transportation	(DOT)
		(,

In accordance with DOT		
Transport document description	:	UN1066 Nitrogen, compressed, 2.2
UN-No.(DOT)	:	UN1066
Proper Shipping Name (DOT)	:	Nitrogen, compressed
Class (DOT)	:	2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Hazard labels (DOT)	:	2.2 - Non-flammable gas
		2
DOT Packaging Non Bulk (49 CFR 173.xxx)	:	302
DOT Packaging Bulk (49 CFR 173.xxx)	:	314;315
DOT Packaging Exceptions (49 CFR 173.xxx)	:	306;307
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	150 kg
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel
Emergency Response Guide (ERG) Number	:	121
Other information	:	No supplementary information available.
TDG		
Transport document description	:	UN1956 Compressed gas, n.o.s., 2.2
UN-No. (TDG)	:	UN1956
Proper Shipping Name	:	Compressed gas, n.o.s.
TDG Primary Hazard Classes	:	2.2 - Class 2.2 - Non-Flammable, Non-Toxic Gas.

Nitrogen

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG Special Provisions	: 1956
Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
Class (IMDG)	: 2 - Gases
<mark>Air transport</mark> UN-No. (IATA)	: 1956
Proper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.
Class (IATA)	: 2
· · ·	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
Nitrogen (7727-37-9)	
Listed on the United States TSCA (Toxic Substa	Inces Control Act) inventory
15.2. International regulations	
CANADA	
Nitrogen (7727-37-9)	

EU-Regulations

Nitrogen

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECT	SECTION 16: Other information	
Revisio	n date	: 06/03/2016
Other ir	formation	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.
Full text of H-phrases:		
[H280	Contains gas under pressure; may explode if heated

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this gas mixture. To the best of Calgaz's knowledge, the information contained herein is reliable and accurate as of this date; however, accruacy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.