

Oxygen (19.5 - 23.5%) in balance Nitrogen Safety Data Sheet 50223 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 09/08/2014 Revision date: 05/15/2018 Supersedes: 02/13/2018 Version: 1.3

SECTION 1: Identification				
1.1. Identification				
Product form : Mixte	ures			
Product name : Oxyg	gen (19.5 - 23.5%) in balance Nitro	ogen		
1.2. Recommended use and restrictions on use				
No additional information available				
1.3. Supplier				
Calgaz, division of Airgas USA LLC 821 Chesapeake Drive Cambridge, 21613 - USA T 1-410-228-6400 - F 1-410-228-4251 info@Calgaz.com				
1.4. Emergency telephone number				
Emergency number : CHE Inter	MTREC: 1-800-424-9300 nationally: 1-703-527-3887			
SECTION 2: Hazard(s) identification				
2.1. Classification of the substance or mixture				
GHS-US classification				
Gases under pressure H280 Compressed gas	Contains gas under pressure;	may explode if I	heated	
Full text of H statements : see section 16				
2.2. GHS Label elements, including precautional	ry statements			
GHS-US labeling				
Hazard pictograms (GHS-US) :	CHS04			
Signal word (GHS-US) : Warr	ning			
Hazard statements (GHS-US) : H280) - Contains gas under pressure; r	nay explode if h	neated	
Precautionary statements (GHS-US) : P410)+P403 - Protect from sunlight. Sto	ore in a well-ver	ntilated place.	
2.3. Other hazards which do not result in classif	ication			
Other hazards not contributing to the : None classification	Э.			
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/Information on in	ngredients			
3.1. Substances				
Not applicable				
3.2. Mixtures				
Name	Product identifier	%	GHS-US classification	
	(CAS-NO.) //2/-3/-9	10.5 - 80.5	Press. Gas (Comp.), H280	
Oxygen	(UNO-INU.) / / OZ-44-/	19.0 - 23.0	Press. Gas (Comp.), H280	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Adverse effects not expected from this product. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Adverse effects not expected from this product.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effects	s (acute and delayed)
Symptoms/effects after inhalation	: None under normal use.
Most important symptoms and effects, both acute and delayed	: No effect on living tissue. Refer to section 11.
4.3. Immediate medical attention and spec	cial treatment, if necessary
None.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	ng media
Suitable extinguishing media	: Water spray or fog.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Specific hazards arising from the che	mical
Reactivity	: No reactivity hazard other than the effects described in sub-sections below.
Hazardous combustion products	: None
5.3. Special protective equipment and pre	cautions for fire-fighters
Special protective equipment for fire fighters	: Standard protective clothing and equipment (e.g, Self Contained Breathing Apparatus) for fire fighters. Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.
Specific methods	: Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems. Exposure to fire may cause containers to rupture/explode. If possible, stop flow of product. Use water spray or fog to knock down fire fumes if possible. Continue water spray from protected position until container stays cool. Move containers away from the fire area if this can be done without risk.
SECTION 6: Accidental release measure	Ires
6.1. Personal precautions, protective equi	ipment and emergency procedures
General measures	: Try to stop release.
6.1.1. For non-emergency personnel No additional information available	
6.1.2. For emergency responders	
No additional information available	
6.2. Environmental precautions	
None.	
6.3. Methods and material for containment	t and cleaning up
Methods and material for containment and cleaning up	: None.
6.4. Reference to other sections	
See also Sections 8 and 13.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Safe handling of the gas receptacle	: Protect cylinders from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Refer to supplier's container handling instructions. Do not allow backfeed into the container. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. If user experiences any difficulty operating cylinder valve discontinue use and contact supplier. Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier. Keep container valve outlets clean and free from contaminants particularly oil and water. Replace valve outlet caps or plugs and container valve after each use and when empty, even if still connected to equipment. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another. Never use direct flame or electrical heating devices to raise the pressure of a container. Containers should be stored in the vertical position and properly secured to prevent them from falling over.
Safe use of the product	: The product must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularily) checked for leaks before use. Do not smoke while handling product. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Incompatible materials	: Flammable materials.
Conditions for safe storage, including any incompatibilities	: Observe all regulations and local requirements regarding storage of containers. Containers should not be stored in conditions likely to encourage corrosion. Container valve guards or caps should be in place. Containers should be stored in the vertical position and properly secured to prevent them from falling over. Stored containers should be periodically checked for general condition and leakage. Keep container below 50°C in a well ventilated place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials.
Storage area	: Store away from heat. Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1.	Control parameters		
Oxyge	n (7782-44-7)		
Not app	blicable		
Nitroge	en (7727-37-9)		
ACGIH		Remark (ACGIH)	Simple Asphyxiant

8.2.	Appropriate engineering controls	
Appropria	te engineering controls	Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Consider the use of a work permit system e.g. for maintenance activities.
Environm	ental exposure controls	None necessary.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risk.

Eye protection:

Wear safety glasses with side shields. Standard EN 166 - Personal eye-protection - specifications

Respiratory protection:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.

Thermal hazard protection:

None necessary.

Other information:

Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

SECTION 9: Physical and chemical pr	operties
9.1. Information on basic physical and che	emical properties
Physical state	Gas
Color	Mixture contains one or more component(s) which have the following colour(s): Colourless.
Odor :	Odorless
Odor threshold	Odor threshold is subjective and inadequate to warn for overexposure
pH :	Not applicable for gas-mixtures.
Melting point :	Not applicable for gas-mixtures.
Freezing point :	No data available
Boiling point :	Not applicable for gas-mixtures.
Flash point :	Not applicable for gas-mixtures.
Relative evaporation rate (butyl acetate=1)	No data available
Relative evaporation rate (ether=1)	Not applicable for gas-mixtures.
Flammability (solid, gas)	No data available
Vapor pressure :	Not applicable.
Relative vapor density at 20 °C	No data available
Relative density :	No data available
Relative gas density	Lighter or similar to air
Solubility	Water: No data available
Log Pow :	Not applicable for gas-mixtures. Not applicable for gas-mixtures.
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	Not applicable.
Viscosity, dynamic	Not applicable.
Explosion limits :	Not applicable for gas-mixtures.
Explosive properties :	Not applicable.
Oxidizing properties	None.
9.2. Other information	
Additional information	None

SECTION	ON 10: Stability and reactivity
10.1.	Reactivity
No reacti	vity hazard other than the effects described in sub-sections below.
10.2.	Chemical stability
Stable ur	nder normal conditions.
10.3.	Possibility of hazardous reactions
None.	
10.4.	Conditions to avoid
None.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5 Incompatible materials	
None	
10.6. Hazardous decomposition products	
None.	
SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Owners (7700.44.7)	
Oxygen (7782-44-7)	200000 nnm/4h
	800000 ppm///h
	800000.000 ppmv/4n
Nitrogen (7727-37-9)	000000 mm/4b
	820000 ppm/4n
ATE US (gases)	
Skin corrosion/irritation	Not classified
	pH: Not applicable for gas-mixtures.
Serious eye damage/irritation	Not classified
Description and its second the first	pH: Not applicable for gas-mixtures.
Respiratory or skin sensitization	Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: None under normal use.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: No ecological damage caused by this product.
12.2. Persistence and degradability	
Oxygen (19.5 - 23.5%) in balance Nitrogen	
Persistence and degradability	No data available.
Oxygen (7782-44-7)	·
Persistence and degradability	No ecological damage caused by this product.
Nitrogen (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Oxygen (19.5 - 23.5%) in balance Nitrogen	
Log Pow	Not applicable for gas-mixtures.
Log Kow	Not applicable for gas-mixtures.
Bioaccumulative potential	NO data available.
Oxygen (7782-44-7)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)	
Bioaccumulative potential	No ecological damage caused by this product.
12.4. Mobility in soil	
Oxygen (19.5 - 23.5%) in balance Nitrogen	
Mobility in soil	No data available
Oxygen (7782-44-7)	
Ecology - soil	No ecological damage caused by this product.
Nitrogen (7727-37-9)	
Ecology - soil	No ecological damage caused by this product.
12.5. Other adverse effects	
Effect on ozone layer	: None
Effect on global warming	· No known effects from this product
GWPmix comment	: No known effects from this product.
SECTION 13: Disposal considerations	S
13.1. Disposal methods	
Waste treatment methods	: May be vented to atmosphere. Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Refer to the EIGA code of practice Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org for more guidance on suitable disposal methods.
Additional information	: None.
List of hazardous wastes	: 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN1956 Compressed gas, n.o.s., 2.2
UN-No.(DOT)	: UN1956
Proper Shipping Name (DOT)	: Compressed gas, n.o.s.
Class (DOT)	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Hazard labels (DOT)	: 2.2 - Non-flammable gas
	NON-FLAMMABLE GAS
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
(49 CFR 173.27)	: /5 Kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 126
Other information	: No supplementary information available.
Special transport precautions	 Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure there is adequate ventilation Ensure that containers are firmly secured Ensure cylinder valve is closed and not leaking Ensure valve outlet cap nut or plug (where provided) is correctly fitted.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport by sea

Transport document description (IMDG)	: UN 1956 Compressed gas, n.o.s., 2.2
UN-No. (IMDG)	: 1956
Proper Shipping Name (IMDG)	: Compressed gas, n.o.s.
Class (IMDG)	: 2 - Gases
Limited quantities (IMDG)	: 120 ml

Air transport

Transport document description (IATA)	: UN 1956 Compressed gas, n.o.s., 2.2
UN-No. (IATA)	: 1956
Proper Shipping Name (IATA)	: Compressed gas, n.o.s.
Class (IATA)	: 2

SECTION 15: Regulatory information

15.1. US Federal regulations

Oxygen (7782-44-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Nitrogen (7727-37-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Oxygen (7782-44-7)

Listed on the Canadian DSL (Domestic Substances List)

Nitrogen (7727-37-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Oxygen (7782-44-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Oxygen (7782-44-7) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxygen (7782-44-7)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right to K	now Hazardous Substance List	
Nitrogen (7727-37-9)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right to Know Hazardous Substance List		
U.S Pennsylvania - RTK (Ri	ght to Know) List	
SECTION 46. Other info	rmotion	
SECTION 16. Other into	Intation	
Revision date	: 05/15/2018	
Training advice	: Receptacle under pressure.	

Other information

 Receptacle under pressure.
 This Safety Data Sheet has been established in accordance with the applicable European Union legislation. Classification in accordance with calculation methods of regulation (EC) 1272/2008 CLP / (EC) 1999/45 DPD.

Full text of H-phrases:

H270	May cause or intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this gas mixture. To the best of Calgaz's knowledge, the information contained herein is reliable and accurate as of this date; however, accruacy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.