

Electronic Bells



Notifier by Honeywell offers an electronic bell for a wide range of applications. The combination of a miniature solenoid with an integrated control circuit allows excellent sound coverage, minimum current consumption and increased reliability. The improved aesthetics make the bell suitable for all applications including the most prestigious locations.

EN 54-3 compliant electronic bells for a wide range of applications. Available in red or grey metal casing and suitable for both semi flush and surface mounting.

Key Features

- · Modern design
- Clip together assembly
- Weatherproof kit option
- · High "ring" output

Benefits

- · Suitable for all locations
- Easy to fit
- Provides protection up to IP44C with weather resistant option
- Easily identified signal

This document is not intended to be used for installation purposes. Every care has been taken in the preparation of this document but no liability can be accepted for the use of the information therein. Design features may be changed or amended without prior notice. For more information, contact:

NOTIFIER. Caburn House, Brooks Road, Lewes, East Sussex, BN7 2BY. United Kingdom Phone: +44 (0) 1273 897 000 Fax: +44 (0) 1273 376 894

ISO9001
Design, Manufacture and Supply to Quality Manage ment Systems Certified to ISO9001:1994





Electronic Bells

EN 54-3 compliant electronic bells for a wide range of applications. Available in red or grey metal casing and suitable for both semi flush and surface mounting.



Specifications

Electronic Bells - 04390-41

Electrical Specification

Voltage:	12Vdc	24Vdc	240Vac
Current:	55 - 65mA	25 - 35mA	20 - 30mA
Sound Output:		93 - 95dB(A)	
Monitoring:		Reverse polarity (dc only)	


Mechanical Specification

Construction:	Gong -steel, base - polycarbonate			
Weight:	1.1kg	1.1kg	1.2kg	
Colours:		Gong - Red or Grey, Base - Black		

Environmental Specifications

Temperature:	- 25°C to + 70°C
Protection:	IP21C / IP44C (Weather Resistant Option)

Dimensions (mm)



Page 2 of 3 - 990-179_0314 www.notifierfiresystems.co.uk

Product Range at a Glance

	Part Number
Electronic Solenoid Bell 24V DC, Red IP21	74430-88NM
Electronic Solenoid Bell 24V DC, Red Weather Resistant IP44	74432-88NM
Electronic Solenoid Bell 230V AC Grey Weather Resistant IP44	74333-50NM
Electronic Solenoid Bell 12V DC, Grey IP21	74431-66NM

