


# EU-Type Examination Certificate

- [2] EQUIPMENT OR PROTECTIVE SYSTEM INTENDED FOR USE IN POTENTIALLY EXPLOSIVE ATMOSPHERES DIRECTIVE 2014/34/EU
- [3] EU-Type Examination Certificate Number: Presafe 17 ATEX 1786X Issue 0
- [4] Product: UV/IR FLAME DETECTOR type RFD-2FT\*
- [5] Manufacturer: REZONTECH Co., Ltd.
- [6] Address: 805, Megavally, 268, Hakeui-ro, Dongan-gu, Anyang-si, Gyeonggi-do, Korea
- [7] This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- [8] DNV GL Nemko Presafe AS, notified body number 2460, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.  
The examination and test results are recorded in confidential reports listed in section 16.
- [9] Compliance with the Essential Health and Safety Requirements has been assured by compliance with EN 60079-0:2014/A11:2011, EN 60079-1:2014 and EN 60079-31:2014
- [10] If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.
- [11] This EU - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.
- [12] The marking of the product shall include the following:

 II 2 GD Ex db IIC T6/T5 Gb  
Ex tb IIIC T85 °C/T95 °C Db



Asle Kaastad

For DNV GL Nemko Presafe AS

The Certificate has been digitally signed.

See [www.presafe.com/digital\\_signatures](http://www.presafe.com/digital_signatures) for more info



Date of issue: 2018-01-15

*This certificate may only be reproduced in its entirety and without any change, schedule included.*