

ETH / 1 FLASH TYPICAL

Ex db IIB+H2 Gb Ex tb IIIC Db II2GD

T5
T100°C

-20°C (-40°C)

Ex db IIC Gb Ex tb IIIC Db II2GD

+60°C

COMBINATIONS LIGHT&SOUND
HORN&LAMP

zone 1

zone 2

DIRECTIVE 2014/34/UE

T6
T85°C

-20°C (-40°C)

COMBINAZIONI OTTICO
ACUSTICA

zone 2

zone 22



IP66

+40°C

Caratteristiche: Esempi tipici di combinazione OTTICO&ACUSTICA a normativa ATEX con scatola morsettieria.

Features: Typical examples LIGHT&SOUND combinations a new standard ATEX with terminals box.

ETH / 1 FLASH

TIPICO 2 / TYPICAL 2
ETH20MD 4W + EVA50
+ JBOX



TIPICO 3 / TYPICAL 3
ETH20MD 10W + EVA50 + JBOX



TIPICO 1 / TYPICAL 1
ETH20MD 4W + EVA50
+ JBOX

TIPICO 4 / TYPICAL 4
1 ETH20MD 4W + 2 EVA50 + JBOX



TIPICO 5 / TYPICAL 5
1 ETH20MD 10W + 2 EVA50 + JBOX



TIPICO 6 / TYPICAL 6
1 ETH20MD 4W + 3 EVA50 + JBOX



TIPICO 7 / TYPICAL 7
1 ETH20MD 10W + 3 EVA50 + JBOX



ETH / 2 FLASH TYPICAL

Ex db IIB+H2 Gb Ex tb IIIC Db II2GD

T5
T100°C

-20°C (-40°C)

Ex db IIC Gb Ex tb IIIC Db II2GD

+60°C

COMBINATIONS LIGHT&SOUND
HORN&LAMP

zone 1

zone 2

DIRECTIVE 2014/34/UE

T6
T85°C

-20°C (-40°C)

COMBINAZIONI OTTICO
ACUSTICA

zone 2

zone 22



IP66

+40°C

Caratteristiche: Esempi tipici di combinazione OTTICO-ACUSTICA a normativa ATEX con scatola morsettiera.

Features: Typical examples LIGHT&SOUND combinations a new standard ATEX with terminals box.

ETH / 2 FLASH

TIPICO 1 / TYPICAL 1

1 ETH20MD 4W + 3 EVA50 + JBOX




TIPICO 2 / TYPICAL 2

1 ETH20MD 10W + 3 EVA50 + JBOX



TIPICO 3 / TYPICAL 3

1 ETH20MD 4W + 2 EVA50 + JBOX



TIPICO 4 / TYPICAL 4

1 ETH20MD 10W + 2 EVA50 + JBOX



TIPICO 5 / TYPICAL 5

1 ETH20MD 10W + 2 EVA + JBOX



TIPICO 6 / TYPICAL 6

1 ETH20MD 4W + 2 EVA + JBOX




ETH / 3 FLASH TYPICAL

Ex db IIB+H2 Gb Ex tb IIIC Db II2GD

T5
T100°C

 -20°C (-40°C)

Ex db IIC Gb Ex tb IIIC Db II2GD

 +60°C

COMBINATIONS LIGHT&SOUND
HORN&LAMP

zone 1

zone 2

DIRECTIVE 2014/34/UE

T6
T85°C

 -20°C (-40°C)

COMBINAZIONI OTTICO
ACUSTICA

zone 2

zone 22



IP66

 +40°C

Caratteristiche: Esempi tipici di combinazione OTTICO-ACUSTICA a normativa ATEX con scatola morsettiera.


Features: Typical examples LIGHT&SOUND combinations a new standard ATEX with terminals box.

ETH / 3 FLASH

TIPICO 1 / TYPICAL 1
1 ETH20MD 10W + 3 EVA50 + JBOX



TIPICO 2 / TYPICAL 2
1 ETH20MD 4W + 3 EVA50 + JBOX



TIPICO 3 / TYPICAL 3
2 ETH20MD 10W + 2 EVA50 + JBOX



TIPICO 4 / TYPICAL 4
1 ETH20MD 4W + JBOX SS Exe



TIPICO 5 / TYPICAL 5
1 ETH20MD 10W + 3 EVA50 + JBOX + PLATE

