

NorthFlex - Cold Grip Plus 5™

Gloves for protection against the cold.



OTHERS

- **Glove Gauge**
 - 15
 - 15 gram
- **Brand**
 - Honeywell
- **Protection against radioactive contamination (EN 421)**
 - N
- **Protection against microorganisms (EN ISO 374-5)**
 - N
- **Protection against electrical voltages EN 60903**
 - N
- **Protection against ionising radiation (EN 421)**
 - N
- **Arc flash protection EN 61482-1-2**
 - N
- **Touchscreen Compatible**
 - N

- **Pesticides (ISO 18889)**
 - N
- **Mechanical Protection**
 - Y
- **Clean Room Capability**
 - N
- **Virus (EN ISO 374-5)**
 - N
- **Care and Maintenance**
 - Product withstands commercial laundry-room detergents (up to pH 14) and warm water temperatures up to 120°F (49°C). Lower heat settings (up to 180°F) are suggested for drying as extreme heat may cause shrinking and degradation of fiber. Indefinite shelf life when stored in original packaging in a cool dry place away from light. Recommended temperature range: 50°F to 86°F (10°C to 30°C).
- **Antistatics EN 16350**
 - N
- **Puncture Resistance**
 - EN388 Level 2
- **Abrasion Resistance**
 - 0
 - ANSI/ISEA 105-ASTM D3389-05; EN388 Level 4
- **Food certification**
 - N
- **Impact Resistance**
 - N
- **Tear Resistance**
 - 0
- **Protection Type**
 - Cold protection
- **Lining Material**
 - Thermal
- **Product Family**

- COLD GRIP PLUS 5 S10
- **Powder Content**
 - N
- **Cut Resistance**
 - ANSI/ISEA 105-ASTM F1790-97 Level 4; CE 4542 EN388 Level 5
- **Silicone Free**
 - N
- **Palm Material**
 - Nylon
- **OEKO-TEX 100**
 - N
- **Grip Pattern**
 - Thermal
- **Velourised**
 - N
- **Glove Type**
 - Cold protection
- **Cuff Style**
 - Knit
- **Standards**
 - ANSI/ISEA 105-ASTM D3389-05, ASTM F1790-97; EN388; EN420; EN511; OSHA 29 CFR 1915.157
- **Washable**
 - N
- **Material**
 - 0
 - Engineered Fiber
- **Style**
 - NFD11HD