


Product Datasheet model uvex futura 9180 125



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

<p>Product characteristics</p>	<ul style="list-style-type: none"> • classic spectacles with large field of vision • reliable protection provided by its perfect fit: multi-level side arm inclination and four different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape • soft, duo-flex ear pieces
<p>Technical details</p> <p>Frame</p> <p>Material</p> <p>Colour</p> <p>Material</p> <p>Features</p> <p>Colour</p>	<p>Front piece</p> <p>CP</p> <p>brown</p> <p>Side piece</p> <p>PC</p> <p>4 position length adjustability</p> <p>brown</p>

Material	Temple
Features	PBT+PC/TPU
Colour	Duo-flex temple brown/purple
Manufacturer's ID code	Marking W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Lens	
Material	PC
Thickness	2,0 mm
Coating	uvex supravision plus
Colour	clear
UV protection	UV 400
Filter	Marking 2-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Antifog	N
Conformity symbol	CE
Factory symbol	

Miscellaneous

Weight	48 g
Packing	5 spectacles per box 160 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170
PPE-Category	Category II